

: JP9012600 PUBLICATION NUMBER : 14-01-1997 PUBLICATION DATE : JP19950180698 APPLICATION NUMBER : 22-06-1995 APPLICATION DATE

NO: 5 VOL: 1997

AB. DATE : 30-05-1997 PAT: A 9012600

PATENTEE : SHISEIDO CO LTD

PATENT DATE: 14-01-1997

: AKIMA KAZUO; INVENTOR

SUZUKI YASUO

: C07K16/18 ; INT.CL.

C12P21/08 ; G01N33/577

C12P21/08 C12R1/91 C12N5/10 C12R1/91

C12N5/10; C12N15/02

: MONOCLONAL ANTIBODY AGAINST SODIUM HYALURONATE ITS PRODUCTION TITLE

ABSTRACT : PURPOSE: To produce the subject new antibody, produced by a fused cent or a cell, capable of producing an antibody, prepared by bonding a protein, etc., to sodium hyaluronate reduced in molecular weight and immunizing a mouse with the resultant substance to a cell of a myeloma and capable of specifically

recognizing the sodium hyaluronate. CONSTITUTION: A protein (e.g. hemocyanin) or a phospholipid (e.g. phosphatidylethanolamine) is introduced into sodium hyaluronate reduced in molecular weight to form a covalent combination, which is then used as an antigen and administered to immunize a BALB/C mouse therewith. Additional immunization is carried out to collect a cell of the spleen after the final immunization. The collected cell is fused to a cell of a murine myeloma in the presence of polyethylene glycol and then selectively cultured in an HAT culture medium to provide a hybridoma, which is further screened according to the enzyme- linked immunosorbent assay (ELISA), etc., to select a strain capable of producing an

antibody having reactivity with sodium hyaluronate. The selected strain is cloned by a limiting dilution method and

then cultured in a culture medium, etc., to afford the new

monoclonal antibody against the sodium hyaluronate.